Toilet Partition Design

For Quotes on Complete Partitions

FOR A QUICK RESPONSE ON PARTITION QUOTES PLEASE:

- Visit our website for blank templates in the design center link in the toilet partition home page.
- Fax us the Overhead Drawing to 800-642-2406 OR email to contact@robertbrooke.com



POWDER COATED STEEL The industry standard. Most economical hybrid epoxy/ polyester powder coated finish over galvanized steel with honeycomb core.



Materials — Five are available

PLASTIC LAMINATE Aesthetic appeal and economy. Pressure laminate smooth surface, resistant to grease and stains.

SOLID PLASTIC

The choice for busy public facilities, high density polyethyene (HDPE) polymer is highly resistant to stains, common acids and cleaning agents, as well as moisture. steam, and corrosion. Will not easily dent or chip.



STAINLESS STEEL

Gleaming beauty provides exceptional durability and modern styling. Available in #4 satin or textured finish.

PHENOLIC - BLACK CORE/COLOR THRU

Impact, moisture, and corrosion resistant, the surfaces are smooth and easy to clean. Ideal for extreme moisture conditions in showers, pools, and saunas, or when maintenance includes hosing down washrooms.

OVERHEAD BRACED/FLOOR ANCHORED

Units are recommended for heavy traffic and necessary vandalism-proof areas. Most economical. Anodized aluminum goes around top. They do not require any special floor construction, therefore they can be used in old or new buildings.

FLOOR-TO-CEILING ANCHORED

Better than overhead braced for heavy traffic and vandalism-proof areas. Most stable as pilasters are anchored into concrete floor and structural ceiling support.



FLOOR MOUNTED

Absence of top structure prompts the use of these units in low ceiling areas. Gives modern, contemporary appearance. They require a 3" minimum concrete floor construction to secure anchor bolts.

CEILING HUNG

Ceiling Hung is the best choice where minimizing maintenance is of primary importance. They provide a floor area free from obstruction to speed maintenance. However this design requires structural steel supports in the ceiling.



Layout – Examples In-a-Corner **Between 2 Walls** Ð **Free Standing** Alcove 61" MINIMUM FOR ADA FLOOR MOUNTED **OVERHEAD BRACED**

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associate

Toilet Partition Design

ASI Global Privacy Collection



36





Powder coared

PLASTIC LAMINATE

ASI Ultimate Privacy™ Sizes

Alpaco	Style	Mounting Configuration	Door & Panel Height Mounting Height	Privacy Construction	
Classic Elegance	European Style Phenolic Partitions	Floor Mounted Overhead Braced with Adjustable Pedestals	 • 76-3/4" Doors & Panels • 6" or 9" Above Finished Floor • 78.6" Doors & Panels • 6" or 9" Above Finished Floor 	Doors & Pilasters interlock with Zero-Sightline routed edges PLUS, Continuous Brackets"	
	<u> </u>				
Material	Style	Mounting Configuration	Door & Panel Height Mounting Height	"Privacy Construction	
Stainless Steel OR Powder Coated Steel	Ultimate Privacy™	Floor Mounted Overhead Braced Floor Mounted	 58" Doors & Panels 12" Above Finished Floor 	 No-Sight System, includes: Continuous Strike Keeper Continuous Hinge Side Filler 	
	Ultimate Privacy™ – 64	Floor to Ceiling Ceiling Hung	64" Doors & Panels 6" or 9" Above Finished Floor		
	Ultimate Privacy™ – 72	Floor Mounted Overhead Braced Floor to Ceiling	72" Doors & Panels 6" or 9" Above Finished Floor	PLUS, Continuous Brackets	
	Ultimate Privacy™	Floor Mounted Overhead Braced Floor Mounted	58" Doors & Panels 12" Above Finished Floor	Doors & Pilasters interlock with Zero-Sightline™ routed edges	
Phenolic	Ultimate Privacy™ – 64	Floor to Ceiling Ceiling Hung	64" Doors & Panels 6" or 9" Above Finished Floor	 PLUS, Continuous Brackets OR Continuous Strike Keeper Continuous Hinge PLUS, Continuous Brackets 	
	Ultimate Privacy™ – 72	Floor Mounted Overhead Braced Floor to Ceiling"	72" Doors & Panels 6" or 9" Above Finished Floor		
Solid Plastic (HDPE)	No slight – 55	Floor Mounted Floor to Ceiling Ceiling Hung	55" Doors & Panels 14" Above Finished Floor	Continuous Strike Keeper Continuous Hinge PLUS, Continuous Brackets	



Toilet Partition Design

Hadrian Privacy Collection









Material	Design Style	Mounting Options	Door & Panel Height Above Finished Floor(AFF)	Privacy Options
Powder		Overhead Braced	• 58" Door & Panels	Standard Hinges W/Hinge A Stop Gap Filler(Manditory) Optional Indicator Latch
	Standard	Floor Mount	• 12" AFF	Continuous SS Hinge
		Floor to Ceiling		Continuous Channels(Brackets)
		Ceiling Hung		Continuous Stop and Hinge Filler
		Overhead Braced	64" Doors & Panels	• Standard Hinges W/Hinge A Stop Gap Filler(Manditory)
	Elite	Overhead Braced Pedestal Mount	• 9" or 6" AFF	Continuous SS Hinge and Stop Gap Filler(Manditory)
		Floor Mount		Continuous Channels(Brackets)
		Floor to Ceiling	Floor Mount 9"AFF ONLY	Optional Indicator Latch
Coated		Ceiling Hung		
Steel		Overhead Braced	72" Doors & Panels	Standard Hinges W/Hinge A Stop Gap Filler(Manditory)
		Overhead Braced Pedestal Mount	• 9" or 6" AFF	Continuous Channels(Brackets)
	Elite Plus	Floor to Ceiling	A A A F F for Dedected Manual	Optional Indicator Latch
		Ceiling Hung	4" AFF for Pedestal Mount	
	Elite Max	Overhead Braced	• 73-92" Doors & Panels (1" Increments) • 9" AFF	Standard Hinges W/Hinge A Stop Gap Filler(Manditory)
		Overhead Braced Pedestal Mount	6" FF for Overhead Braced and Floor to Ceiling	Continuous Channels(Brackets)
		Floor to Ceiling	4" AFF for Pedestal Mount	Indicator Latch (Manditory)
	Standard	Overhead Braced	• 58" Door & Panels	Standard Hinges W/Hinge A Stop Gap Filler(Manditory) Optional Indicator Latch
		Floor Mount		Continuous SS Hinge
		Floor to Ceiling	• 12" AFF	Continuous Channels(Brackets)
		Ceiling Hung		Continuous Stop and Hinge Filler
		Overhead Braced	64" Doors & Panels	Standard Hinges W/Hinge A Stop Gap Filler(Manditory)
		Overhead Braced Pedestal Mount	• 9" or 6" AFF	Continuous SS Hinge and Stop Gap Filler(Manditory)
	Elite	Floor Mount		Continuous Channels(Brackets)
		Floor to Ceiling	Floor Mount 9"AFF ONLY	Optional Indicator Latch
Stainless		Ceiling Hung		
Steel	Elite Plus	Overhead Braced	• 72" Doors & Panels	Standard Hinges W/Hinge A Stop Gap Filler(Manditory
		Overhead Braced Pedestal Mount	• 9" or 6" AFF	Continuous Channels(Brackets)
		Floor to Ceiling		Optional Indicator Latch
		Ceiling Hung	4" AFF for Pedestal Mount	
	Elite Max	Overhead Braced	• 73-92" Doors & Panels (1" Increments) • 9- AFF	Standard Hinges W/Hinge A Stop Gap Filler(Manditory
		Overhead Braced Pedestal Mount	6" FF for Overhead Braced and Floor to Ceiling	Continuous Channels(Brackets)
		Floor to Ceiling	4" AFF for Pedestal Mount	Indicator Latch (Manditory)
Solid Plastic (HDPE)		Overhead Braced		Continuous SS Hinge Optional Indicator Latch
	Standard	Overhead Braced	• 55" Door A Panels	Continuous Stop(Alum)
(HDPF)		Ceiling Hung		Continuous Channels(Brackets) (Alum or SS)


Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.

Powder Coated Steel Partitions



Complete Restroom Stalls

- Very economical and often used.
- Finish is a hard hybrid epoxy/polyester powder coated finish over rust resistant phosphate treated steel. With inner honeycomb core bonded to the steel with a non-toxic adhesive to ensure solid construction and sound attenuation.
- Assembled with a continuous roll-formed interlocking crown molding, with corners brazed and ground smooth. Doors, panels and urinal screens — 1" thick, 22 gauge steel.
- Doors, panels and urinal screens 1" thick, 22 gauge steel. Doors and panels are 58" high.
- Pilasters 1-1/4" thick, 20 gauge steel.
- Hardware Cam action hinge permits door to remain at desired position when not in use. Hinges, strike and keeper, coat hook, latch, and bracket s are chrome plated alloy. Concealed latch assembly allows for emergency access. Pilaster shoes are 304 stainless steel.
- Installation instructions, all mounting hardware and a can of touch up paint are supplied with each order.



Includes: Hinges and All Hardware Available for the following door opening widths (actual door size is 3/8" narrower than the opening): 20, 22, 24, 26, 28, 30, 32, 34, 36". Specify —

Color

33

- Part No. 9TDS-XX (where XX is door opening width)
- Pilaster type Standard round edge, square edge or mounted on flat wall

Includes: 4 Brackets Available in the following widths: 16, 22, 28, 34, 40, 46, 52, 55, 58,

- 60, 70 and 76". Actual width is 1/2" less.
- Specify —
- Color,
- Part No. 9TPS-XX (where XX is panel width).
- Reinforcing for grab bars available.

Includes: Brackets & Stainless Steel Shoes Available in the following widths: 2, 3, 4, 5, 6, 7, 8, 10, 12, 16, 18, 20, 22 and 24".

Specify –Color.

- Part No. 9TLS-XX (where XX is pilaster width)
- Overhead braced for 82" (Hadrian) or 84" (Global) length, floor braced for 70" length, wall hung for 58" high, ceiling hung for 84" length, and floor-toceiling for up to 120" maximum length.
- For 1-1/4" Thick Pilasters
- Anti-Grip with 1/4" slot for curtain.
 Available in the following lengths: Hadrian: 60", 74", 96"
 Global: 65", 98"

Part No.

- Hadrian: 9HR60A, 9HR74A, 9HR98A
- Global: 9A8465114, 9A8498114

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.

Plastic Laminated Partitions

Complete Restroom Stalls

Replacement

- Gives a more aesthetic appeal while maintaining economy.
- · Fabricated from 45 pound density, resin impregnated particle board. Plastic laminate is glued to particle board with a nontoxic, water resistant adhesive under high pressure. Components are edge banded prior to face lamination to ensure moisture run-off and vandal resistance. Not recommended for high moisture areas.
- Doors, panels and urinal screens 1" thick (uses 7/8" particle board)
- Pilasters 1" thick (uses 7/8" particle board)
- Hardware Gravity cam-action hinges permit door to remain at desired position when not in use. Hinges, strike and keeper, coat hook, latch and brackets are chromed plated alloy. Door can be lifted to allow emergency access.
- Installation instructions and all mounting hardware are supplied with each order.

Panels Pilasters Aluminum Headrail Includes: Hinges and All Hardware • For 1" Thick Pilasters Includes: 4 Brackets Includes: Brackets & Stainless Steel Shoes Available for the following door opening Available in the following widths: Available in the following widths: Anti-Grip with 1/4" slot for curtain. 3, 4, 5, 6, 7, 8, 10, 12, 16, 18, widths (actual door size is 3/8" narrower 16, 22, 28, 34, 40, 46, 52, 55, 58, • Available in the following lengths: than the opening) - 22, 24, 26, 28, 30, 20, 22 and 24". 60, 70 and 76" Global: 65", 98" Actual width is 1/2" less. Specify -Part No. Color. Specify -• Global: 9A84651, 9A84981 Part No. 9TLL-XX (where XX is Color. pilaster width) Part No. 9TDL-XX (where XX is door • Part No. 9TPL-XX (where XX is Overhead braced for 84" length, wall opening width) panel width). hung for 55" length and floor-to-ceiling for up to 116" maximum length. **Privacy/Urinal Screens** ASI Global Plastic Laminate Colors - 48 colors Ship in 48 Hours Actual colors may vary slightly from those shown due to limitations in the printing process. Mission White 1010 Almond 4000 Sand 4010 ** Cotton Cloth 1681 Taupe 9096 ** White Ash 1841 ** Crisp Linen 1150 Fog 3450 Patine Bronze 4707 Washi Paperfold 5013 Green Felt 5974 Liquid Glass 6240 1-3/4" square post up to 120" * Burnt Strand 5107 ** Casual Linen 4538 Wheat Strand 9110 Carrara Bianco 1096 * Satin Stainless 5030 Blue Felt 6320 **OVERHEAD BRACED / FLOOR** ** Antique Mango 9783 Little Black Dress 2100 ** Gray Linen 3750 ** Aged Ash 9844 * Afternoon Nap 9120 Smoke 8450 Pilaster is braced by headrail to wall. Soothing Pebble Beach 4109 * Love Letters 3003 Brittany Blue 7010 Navy Grafix 7318 Silver Gray 3000 Dove Gray 3010 Storm Solidz 3542 Graphite Graphix 3020 Folkstone Celesta 3300 Canvon Zephyr 3713 **Handspun Pearl 3033 Windswept Pewter 3849 Handspun Slate 3035 Graphite 2150 Black 2000 * Flax Linen 4990 Smoke Quarstone 3350 Handspun Chestnut 4036

PLASTIC LAMINATED PARTITIONS

** Directional Panel - Pattern on panels over 60" wide will run perpendicular to pattern on doors and pilasters. Pattern shown are cropped from the full sheet size, contact us for additional reference.

**Asian Night 9550

** Weathered Ash 9842

Kingswood Walnut 9218

Neo Walnut 7954

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright @ 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associat



Doors

32, 34, and 36"

Specify -

Color

WALL HUNG

1" thick by 48" high panel. Available in the following widths - 12, 18, 24 and 30". Specify - color and Part No.9SWHL-XX (where XX is the screen width.

FLOOR & CEILING BRACED POST & PANEL


maximum with 58" high panel. Specify - color, Part No.9SFCL-XX-Y (where XX is width from the front of the post to the wall, Y = floor-toceiling height)*



ANCHORED

Panel is 58" high. Pilaster is 82" high. Specify - color and Part No.9S0BL-XX (where XX is width from the front of the pilaster to the wall*).

Floor Anchored



* The overall width of the screen is 2" wider than the width of the nanel.

*Pewter Mesh 5993

** Mahogany 9939

Solid Polymer Plastic Partitions


Complete Restroom Stalls

- Designed for high-traffic public facilities, parks and schools.
- · The high-density polyethylene material has homogenous color throughout each component. Self-lubricating surface resists markings from pens, pencils, etc. Has low maintenance; good durability; water resistant, unaffected by steam or high humidity. Available in overhead braced/floor anchored and floor-to-ceiling anchored only.
- Doors, panels, pilasters and urinal screens 1" thick, doors and panels are 55" high.

Privacy/Urinal Screens

- Hardware Available in hidden integral hinges or wrap around vaulttype hinges. Cam-action hinge permits door to remain at desired position when not in use. Slide latch, striker and keeper, and coat hook are chrome plated alloy. Slide latch assembly allows for emergency access. Standard brackets are 54" long extruded PVC colored to match partitions. Pilaster shoes are molded plastic to match partitions. Stainless steel shoes and full height aluminum brackets are available at no up charge.
- · Installation instructions and all mounting hardware are supplied with each order.

Available Colors



- Part No. 9TDP-XX (where XX is door opening width)
- Pilaster type Standard round edge, square edge or mounted on flat wall
- Part No. 9TPP-XX (where XX is
- panel width). · Reinforcing for grab bars available.
- pilaster width)
- Overhead braced for 82" (Hadrian) or 84" (Global) length, floor braced for 70" length, wall hung for 58" high, ceiling hung for 84" length, and floor-toceiling for up to 120" maximum length.
- Hadrian: 9HR60SP, 9HR74SP, 9HR98SP
- Global: 9A84651, 9A84981

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B. Trov, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.

Stainless Steel Partitions

Complete Restroom Stalls

- · Provides gleaming beauty, exceptional durability and modern styling.
- Type 304 stainless steel with a #4 finish bonded to an inner honeycomb core under pressure with a non-toxic adhesive to ensure solid construction and sound attenuation. Assembled with continuous rollformed interlocking, 22 gauge stainless steel crown molding, with corners welded and ground smooth.


 - **Privacy/Urinal Screens**

- Doors, panels and urinal screens 1" thick, 22 gauge stainless steel.
- Pilasters 1-1/4" thick, 22 gauge stainless steel.
- · Hardware Cam-action hinges permit door to remain at desired position when not in use. Hinges, strike and keeper, coat hook and latch are chrome plated alloy. Concealed latch allows for emergency access.
- · Installation instructions and all mounting hardware are supplied with each order.



WALL HUNG

1" thick by 48" high panel. Available in the following widths - 12, 18, 24 and 30". Specify - color and Part No.9SWHSS-XX (where XX is the screen width.



maximum with 58" high panel. Specify - color, Part No.9SFCSS-XX-Y (where XX is width from the front of the post to the wall, Y = floor-toceiling height)*




OVERHEAD BRACED / FLOOR ANCHORED

Pilaster is braced by headrail to wall. Panel is 58" high. Pilaster is 82" high. Specify --- color and Part No.9S0BSS-XX (where XX is width from the front of the pilaster to the wall*).

Floor Anchored

70" high pilaster and 58" high panel. Specify - color and Part No.9SFASS-XX (where XX is width from the front of the pilaster to the wall).*

* The overall width of the screen is 2" wider than the width of the panel.



Urinal Splash Plates



Replacement

Diamond Pattern

Doors **Panels Pilasters** Aluminum Headrail Includes: Hinges and All Hardware • For 1-1/4" Thick Pilasters Includes: 4 Brackets Includes: Brackets & Stainless Steel Shoes Available for the following door opening • Anti-Grip with 1/4" slot for curtain. Available in the following widths: Available in the following widths: widths (actual door size is 2, 3, 4, 5, 6, 7, 8, 10, 12, 16, 18, 16, 22, 28, 34, 40, 46, 52, 55, 58, · Available in the following lengths: 3/8" narrower than the opening): 20, 22 and 24". 60, 70 and 76' Hadrian: 60", 74", 96" 20, 22, 24, 26, 28, 30, 32, 34, 36". Specify -Actual width is 1/2" less. Global: 65", 98" Specify - Color, Specify -Part No. Color • Part No. 9TLSS-XX (where XX is Color. • Hadrian: 9HR60A, 9HR74A, 9HR98A Part No. 9TDSS-XX (where XX is door pilaster width) Part No. 9TPSS-XX (where XX is • Global: 9A8465114, 9A8498114 opening width) Overhead braced for 82" (Hadrian) or panel width) 84" (Global) length, floor braced for 70" Pilaster type — Standard round edge. Reinforcing for grab bars available. length, wall hung for 58" high, ceiling square edge or mounted on flat wall hung for 84" length, and floor-to-

STAINLESS

STE

EL PARTITIONS

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associate

ceiling for up to 120" maximum length

Solid Phenolic Partitions

Complete Restroom Stalls

- Ideal for extreme moisture conditions in showers, pools and saunas. Surfaces are smooth and easy to clean.
- Phenolic material is comprised of multiple layers of melamine resin impregnated kraft paper to give a black core and a decorated surface sheet on both faces. All layers are fused together under high pressure. Material of choice where durability and strength are required. Uses stainless steel brackets. Impact and corrosion resistant; does not support bacteria.
- Panels and urinal screens 1/2" thick
- Hardware Cam-action hinge permits doors to return to a preset position when not locked. Hinges, strike and keeper are brushed aluminum. Camaction hinge allows emergency access by lifting door.
- Installation instructions and all mounting hardware are supplied with each order.

Doors and pilasters - 3/4" thick

Replacement **Panels Aluminum Headrail** Doors **Pilasters** Includes: Hinges and All Hardware Includes: 4 Brackets Includes: Brackets & Stainless Steel Shoes • For 3/4" Thick Pilasters Available for the following door opening Available in the following widths: Available in the following widths: • Anti-Grip with 1/4" slot for curtain. widths (actual door size is 2, 3, 4, 5, 6, 7, 8, 10, 12, 16, 18, 16, 22, 28, 34, 40, 46, 52, 55, 58, 60, • Available in the following lengths: 3/8" narrower than the opening): 20, 22 and 24". 70 and 76" Part No. 20, 22, 24, 26, 28, 30, 32, 34, 36". Actual width is 1/2" less. Specify -• Global: 9A846534, 9A84983 Specify -Specify ----· Color, Color • Part No. 9TLPH-XX (where XX is Color, Part No. 9TDPH-XX (where XX is door pilaster width) Part No. 9TPPH-XX (where XX is opening width) · Overhead braced for 84" length, floor panel width). Pilaster type — Standard round edge, braced for 70" length, wall hung for · Reinforcing for grab bars available. 58" high, ceiling hung for 84" length, square edge or mounted on flat wall and floor-to-ceiling for up to 120'

maximum length.

Global Solid Phenolic Colors "Color-Thru" Phenolic Sahara Beige 4816 Dark Grey 3871 Pastel Grey 3074 Charcoal 3077 Black 2000C Standard Black Core Colors Graphite 2150 * Neo Walnut 7954 * White Ash 1841 * Kingswood Walnut 9218 *Asian Night 9550 Taupe 9096



Weathered Ash 9842

Silver Oak Ply 9203


Graphite Blue 6944 * Color-Thru Phenolic: 2 to 3+ weeks

* Black Core: 1 to 2+ weeks (includes Black 2000C)

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B. Trov, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.

Head Rails

Specification Sheet, Other Materials & Model Types Available



43

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.



Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.

RESTROOM ACCESSORIES

American Specialties, ASI



SURFACE MOUNTED SOAP DISPENSER

Translucent container

Hand actuated

븮

provides visible soap level

· For both Liquid & Lotion Soaps

• 5-13/16"w x 6-7/8"h x 3-3/16"d

Ġ

STAINLESS STEEL

SOAP DISPENSER

Lotion Soaps


• For both Liquid &

• 5"w x 8"h x 5"d

40 oz. Capacity

Part No. 9A0347

VERTICAL ALL PURPOSE



- · FDA Approved Fungus and
- **Bacteria-Resistent Plastic**

Soap Dispensers

Specification Sheet, Other Models & Types Available

Bobrick

Stainless Steel Face and Collar

Part No. 9A90189

- · Horizontal Reccessed Mount
- FDA Approved Fungus and
- Bacteria-Resistent Plastic · Stainless Steel Face and Collar
- Part No. 9A9018



PART NO. COLOR Powder Gray 9RSS1P 9RSS11 Ivorv 9RSS1W White

Diaper Depot Changing Station

- Attractive, durable, safe, affordable
- Combines durability with long lasting looks
- Universal Safety instructions
- Dual dispensers for liners
- 4" depth closed; 20" depth open; 34" wide
- Fully hidden gas shock
- Shelf for personal changing items
- Safe Strap safety belt
- Molded in hook for purse or diaper bag
- Concave bed
- Includes Industrial grade hardware kit for easy installation
- Warranted to be free from defects in material and workmanship for up to five years

Baby Changing Station

- Surface Mounted 4" Depth (closed)
- · ADA Compliant
- Sturdy Child Protection 300 lb. load capacity
- · Easy Opening and Closing
- Constructed of 100% High-density Polyethylene · Easily cleaned, gray color





SOAP PART NO. 9A0333 LIQUID



SURFACE MOUNTED SOAP DISPENSER

Impact Resistant

• For both Liquid &

Lotion Soaps

· Hand actuated

• 6"w x 8-1/8"h x 4"d

Part No. 9A0345 SURFACE MOUNTED SHELF AND SOAP DISPENSER • For both Liquid & Lotion Soaps Satin Finish Stainless Steel

STAINLESS STEEL HORIZONTAL

• 8"w x 5"h x 5"d

40 oz. Capacity

ALL PURPOSE SOAP DISPENSER • For both Liquid & Lotion Soaps

- 20"w x 3"h x 5"d
- 80 oz. Capacity
- Part No. 9A0318

Soap Dispenser Valve Assemblies

SOAP DISPENSER VALVE PART NO. 9A0333 9A035C* 9A0444 9A035C* 9A0500 9AV500 *Valve threads are 3/4" 0.D. ALL PURPOSE 9AV320 28 Threads per inch.

9AS30T

9AS46T

30 oz

46 oz

Dispenses Viscous Lotion Soaps

and synthetic detergents

Spout & Stem are Polished

LAVATORY MOUNTED

SOAP DISPENSER

Stainless Steel

· 34 oz. Capacity

Part No. 9A0332



45

for the 300/400 series soap deispensers Part No. 9A0300E

G

Mills

REPLACEMENT

EYE GLASS





SOAP | PART NO. LIQUID 9A0444



- 15 second dry time
- · 60 second shut off
- 120 Thru 240 Voltage
- Surface Mounted
- Sound level: 66dB
- 9-25/32"w x 6-5/8"h x 5-13/32"d
- Satin SS
- Part No 9A0198



- Hardwire or Plug-in
- Surface Mounted
- Infared Sensor
- 11-13/32"w x 12-5/16"h x 6-11/16"d
- Colors: Black, Chrome, Coffee, Gray, Red, Brushes SS, White Finish
- Part No. 9A400








Paper Towel Dispensers

Paper Towel Dispensers & Waste Receptacles

Specification Sheet, Other Models & Types Available



ADA Braille Directional Signs




Plexiglass with polished edges. 12" Ďia. Part Nos. Women - 9R840 Men - 9R840A Restroom - 9R840B

Pressure sensitive 6"x6" (152 mm) international handicap symbol white on blue Part No. 9R840C



Tactile signs comply with the signage requirements of the American with Disabilities Act. Durable plastic with Grade 2 Braille. 6"x 8", Women - 9R840T Part Nos Men - 9R840AT

Restroom - 9R840BT



Part No. Part No. Width | Height Width Height 9A600T 24" 9A600T5 16" 18' 36 9A600T1 16" 30" 9A600T7 24" 30" 9A600T2 18" 24" 9A600T9 24" 36" 9A600T3 18" 30"

Stainless Steel Shelving

	ECONOMY SHELVES			
			Part No.	
	LENGTH	5" Depth	6" Depth	8" Depth
	12"	9TS538x12	9TS638x12	9TS838x12
Fabricated with Satin Finish Stainless Steel	16"	9TS538x16	9TS638x16	9TS838x16
	18"	9TS538x18	9TS638x18	9TS838x18
Premium shelves 5/8"	24"	9TS538x24	9TS638x24	9TS838x24
	30"	9TS538x30	9TS638x30	9TS838x30
$\sum 4' $	36"	9TS538x36	9TS638x36	9TS838x36
	48"	9TS538x48	9TS638x48	9TS838x48
	60"	9TS538x60	9TS638x60	9TS838x60
Specification Sheets are	72"	9TS538x72	9TS638x72	9TS838x72
available for all products				

FOLDING UTILITY Shelf Part No. 9A0698

9A80261

9A80262

9A80263

9A80265

9A80267

9A80269



24"

24"

30"

30"

36"

24"

16"

18"

18"

24"

24'

48"

•14-5/8" X 5-13/16" Upright position when not in use.

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright @ 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.




American Specialties – Matte Black Collection

All Products are Constructed of Stainless Steel with Matte Black Powder Coating Finish



Please contact Us for More Information

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.




Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates

51

TOILET

PARTITION HARDWARE



52

FOILET PARTITION HARDWARE

Toilet Partition Hardware Comtec / Capital / Hiny Hiders REPLACEMENT STRIKE/KEEPER STRIKE/KEEPER COMTEC COMTEC INSWING HINGE SET ADA HINGE SET INTEGRAL HINGE INTERGRAL HINGE SET INSWING OUTSWING OUTSWING FLAT FLAT STOP SET OF 2 HINGES SET OF 3 HINGES PIN KIT Part No. 9A7005 Long pin is 6" x 1/2" dia, ALLIMINUM **ALLIMINUM** STOP 6" Hiah 8" High. Instructions 8" High. Instructions Part No. 9A5798 6" High 6" Hiah Smaller one is 3-1/2" x 1/2" dia 6" Hiah Included Included ۲× Part No. 9HSISA Part No. 9HS0SA Part No. 9A5898 Part No. 9HHGB Part No. 9HHGBADA Part No. 9INTKIT SLIDE LATCH TOP TOP ALUMINUM REPLACEMENT COMTEC **Replacement Hinge inserts** 3-1/2" between HINGE INSERTS REPLACEMENT **USE WITH OUR HINGES ONLY** screws Part No. 9HHGB-TOP HINGE INSERTS BOTTOM BOTTOM Part No. 9HHGB- BOTTOM Part No. 9HLSLA Part No. 9HHINSERT ST DELIVERY Fiat - Chrome Plated Hardware BOTTOM HINGE TOP HINGE BOTTOM HINGE TOP HINGE 1-1/2" Bet. Screws 1-1/2" Bet. Screws For 1-1/4" Sq. Post 1-1/2" Bet. Screws For 1-1/4" Sq. Post For 1-1/4" Sq. Post For 1-1/4" Sq. Post Part No. 9F0214N A = 1-11/16" Part No. 9F0301 Chrome Part No. 9F0300 Chrome For 7/16" dia. Pin Part No. 9F0211N Part No. 9A3293 Cast SS Part No. 9A3793 Cast SS A = 1-11/16" œ A = 1-5/8" SLIDE BOLT ASSEMBLY (New) Part No. 92500B TOP HINGE BOTTOM HINGE 2-3/4" Bet. Screws DOOR ESCUTCHEON DOOR INSERT 9/16" Bar to Door Clearance For 1" Thick Doors For 1" Thick Doors Part No. 9F0302 Part No 9F0316 Part No. 9F0317 RUBBER ONLY TOP PIN (Metal) **KEEPER BUMPER KEEPER BUMPER** Part No. 9F0380 3/8" Dia. 3-7/16" Long For Outswing **INCLUDES PIN** For Inswing For 1-1/4" Sq. Post For 1-1/4" Sa. Post When Ordering Part No. 9F0310 Part No. 9F0303 Part No. 9F0304 Specify Pin Type **KEEPER BUMPER** TOP PIN (Metal) NYLON CAM PINTI F Straight or Offset Part No 7/16" Dià. Part No 9F0312 11/16" Dia 9F0227 3-3/16" Lona Part No. 9F0311 Part No. 9F0207N Brackets on page 63-64 **Flush Metal** For use on Metal BOTTOM HINGE TOP HINGE BOTTOM CAM HOUSING TOP HINGE CASTING 1-1/2" Bet. Screws 1-1/2" Bet. Screws FRONT For use on metal. For 1-1/4" Rnd. Post For 1-1/4" Rnd. Post Part No. 9FL265 Part No. 9FL275 Unplated Part No, 96L100 Part No. 9FL200 Part No 9FL275CH Chrome plated A = 1-7/16'PINTLE 5/8" Dia. Part No. 9FL250 COAT HOOK & BUMPER KEEPER BUMPER NYLON CAM For 1-1/4" Rnd. Post Part No. 9FL450 art No. 9FL225 art No. 9FL400 LATCH HOUSING FOR

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associate

KNOB & COVER

Part No. 9FL325A

LATCH KNOB & COVER

(Concealed)

Part No. 9FL325

TOP PIN

3/8" Dia., 3" Long


Part No. 9FL125

CONCEALED LATCH

Part No. 9A6606

(Unplated)

TOILET PARTITION HARDWARE



Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.

55 **Toilet Partition Hardware GLOBAL - Chrome Plated Hardware** a contract PIN 3/8" Dia. x 3" Long A = 1 - 7/16''Part No. 9G2252 NYLON CAM TOP HINGE CASTING BOTTOM CAM A = 1-7/16" Part No. 9G0232 HOUSING) Part No. 9G0220 PINTLE TOP HINGE BOTTOM HINGE TOP PIN (Metal) Part No.9FL275CH -5/8" 1-1/2" Bet. Screws 1-1/2" Bet. Screws **Chrome Plated** 3/8" Dia. x 3-3/4" Long Part No. 9G0237 For 1-1/4" Rnd. Post For 1-1/4" Rnd. Post Part No. 9G0225 Part No. 9G2253 Part No. 9G0230 For use on Metal X AY DELIVERY **KEEPER BUMPER** BOTTOM CAM KEEPER BUMPER SLIDE BOLT LATCH SLIDE BOLT LATCH **KEEPER BUMPER** For Inswing For 1-1/4" Rnd. Post HOUSING) For Outswing (Surface) 3-1/2" Bet. Screws With 3/8" Door to For 1-1/4" Rnd. Post For 1-1/4" Rnd. Post 5/8" Bar to Door Clearance Offset Bar Clearance Part No. 9G150C Part No.9FL275CH -**Chrome Plated** Part No. 9G015E Part No. 9G0151 Part No. 9G0136 Part No. 9G0137 AVAII GLOBAL COMPLETE HINGE SET WITH AB ROUNDED EDGE GLOBAL OUT SWING Part N 9G663140 DOOR KIT Part No 9A85-13514 ADA DOOR KIT GLOBAL PLASTIC LAMINATE DOOR KIT, 1.25 PILASTER-1 INCH DOOR Part No. LATCH KNOB & COVER Part No. 9A63160 9G4000A Chrome Plated (Concealed) Part No. 9G0139 - Chrome Plated Part No. 9A6148 - Cast SS Current GLOBALSTYLE DOOR LATCH WITH INDICATO Ġ TOILET PARTITION HARDWARE Part No. 9G600 LATCH KNOB & COVER Part No. 9G0139A - Chrome Plated Part No. 9A6158 - Cast SS Ġ Ø COMPLETE STANDARD DOOR KIT. LATCH KNOB & COVER INCLDS. SAFETY SCREWS (Screw fastened) GLOBAL DOOR Current Part No. 9G0139AS Part No. 9G4000 Chrome Plated GLOBAL POWDER COATED STEEL **KEEPER FOR** (Old Style) CURRENT LATCH IN SWING DOOR KIT Part No. 9A85-13513 USED WITH 9G600 LATCH KNOB & COVER DOOR CATCH (Screw Fastened/Concealed) Part No. 9G711 Part No. 9G0139S (Old Style) For use on Plastic Laminate HINGE PIN (Metal) (New) 3/8" Dia. x 3-7/16" Long LATCH COVER & KNOB Part No. 9G631C Part No. 9G631F **INCLUDES PIN** When Ordering Specify Pin Type CAM SET (Plastic) TOP OR BOTTOM HINGE **KEEPER BUMPER** "U" TRIM For Inswing and Outswing For 1-1/4" Sq. Post Part No. 9G631E DOOR INSERT 1-1/2" Bet. Screws

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright @ 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates


Part No. 9G631B

For 1-1/4" Sq. Post


Part No. 9G631H


Part No. 9G631A

Straight or Offset




Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.






Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.



Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com

59

Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associate




Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.

Common Toilet Partition Hardware ADA Continuous Piano and Full Length Surface Mounted Hinges Vault Hinge Can be Raised up 3/8" for Emergency Entry • Strengthen your Door • Provide More Privacy • Made of Stamped Stainless Steel • 16 Gauge - 1/8" Pin 16 Gauge - 1/8" Pin 14 Gauge - 1/4" Pin 71-1/2" length 54-1/2" & 57-1/2" lengths 54" & 57-1/2" lengths with Spring Close with Cam Close with Spring Close PART NO. | DOOR SWING | LENGTH DOOR SWING | LENGTH PART NO. LENGTH PART NO. VAULT HINGE SET 9A7789 57-1/2" 9A70C1 RH-OUT, LH-IN 9A7759 RH-IN LH-OUT 57-1/2 71-1/2" HEAVY DUTY CAST STAINLESS STEEL 9A70C2 LH-OUT, RH-IN 57-1/2 9A7769 LH-IN, RH-OUT 71-1/2 9A7599 54-1/2" Part No. 9A7813 Use for 3/4" to 1" door next day delivery ava 9A70C4 RH-OUT, LH-IN 54" 9A70C5 LH-OUT, RH-IN 54' 14 Gauge - 1/4" Pin Without Spring Close 57" length with Spring Close PART NO. | DOOR SWIN<u>G</u> | LENGTH PART NO. DOOR SWING LENGTH 9A7339 I H-OUT BH-IN 9A70C3 ALL 57-1/2" 9A7349 RH-OUT, LH-IN 57' 14 Gauge - 1/4" Pin Anodized Aluminum 1/4" Pin - 54" length 57" length with Spring Close 20° Degree Cam Close PART NO. | DOOR SWING | LENGTH ART NO. | DOOR SWING | LENGTH 9A8674 RH-IN LH-OUT 9A9401 20° CAM CLOSE 57' 9A8684 LH-IN, RH-OUT 54" Surface Mounted Hinge Sets (Upper and Lower) œ **Heavy Duty Medium Duty ROUND BARREL** SQUARE BARREL MATERIAL DOOR SWING PART NO. MATERIAL DOOR SWING PART NO. CHROME PLATED FOR RIGHT HAND OUTSWING OR LEFT 1 - 1/2'FOR RIGHT HAND 9A70B1 STAINLESS 9A7051 BRASS HAND INSWING OUTSWING OR LEFT STEEL 1-1/2" HAND INSWING FOR LEFT HAND FOR LEFT HAND OUTSWING OR RIGHT 9A70B2 OUTSWING OR RIGHT 9A7052 HAND INSWING 2-7/16" HAND INSWING 2-3/8' STAMPED FOR RIGHT HAND OUTSWING OR LEFT 9A7043 TOILET PARTITION HARDWARE STAINLESS STEEL HAND INSWING 1-1/2" **ROUND BARREL** FOR LEFT HAND OUTSWING OR RIGHT 9A7033 MATERIAL DOOR SWING PART NO. HAND INSWING 2-7/16" CAST FOR RIGHT HAND STAINLESS OUTSWING OR LEFT 9A7SS1 STAMPED FOR RIGHT HAND OUTSWING OR LEFT 1-1/2" 9A7103 STEEL HAND INSWING STAINLESS STEEL HAND INSWING 1-1/2' FOR LEFT HAND OUTSWING OR RIGHT 9A7SS2 FOR LEFT HAND OUTSWING OR LEFT 9A7093 HAND INSWING HAND INSWING 2-3/8" 2-5/162-5/16 SURFACE MOUNT SURFACE MOUNT DOOR SWING MATERIAL PART NO. UNIVERSAL HANDING HINGE FOR RIGHT HAND CAST STAMPED 9A8241 FOR BOTH RIGHT AND LEFT HAND 1-1/2" STAINLESS OUTSWING OR LEFT 9A7283 STAINI ESS STEEL OUTSWING OR RIGHT AND LEFT HAND STEFI HAND INSWING 1-1/2" INSWING FOR LEFT HAND OUTSWING OR RIGHT 9A7273 HAND INSWING SURFACE MOUNT DOOR HINGE SET POLISHED 9A7070 FOR LEFT HAND OUTSWING OR RIGHT DOOR SWING SUPPLIED WITH FASTENERS STAINLESS STEEL HAND INSWING FOR 1" DOORS & 1-1/4" POST. LEFT HA LEFT **OTHERS SCREWS AVAILABLE.** SURFACE MOUNT DOOR HINGE SET 1-1/2" 9A7083 FOR RIGHT HAND OUTSWING OR LEFT HAND INSWING 2-1/4

Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associate


Common Toilet Partition Hardware



Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associates.

62

FOILET PARTITION HARDWARE



Robert Brooke & Associates • 1465 Axtell Dr., Ste.B, Troy, MI 48084 • Phone: 800-642-2403 • Fax: 800-642-2406 • www.robertbrooke.com Copyright © 2024/2025 Robert Brooke & Associates. This catalog is copyrighted. No portion may be reproduced without the permission of Robert Brooke & Associate

TOILET PARTITION HARDWARE